


## LES STATIONS / CUVES SEPTIC

LES FOSSES SEPTIC POSSIBLE EN DIFFERENT DIMENSIONS




### Septic tank 3.500 L, 3-chambers RoSeptic

***Details***

For septic system replacement and new home construction, ROTO's polyethylene septic tanks are designed for durability and quick, easy installation. All ROTO septic tanks are manufactured with rotational molding process, which produces a one-piece, seamless, watertight tank. Polyethylene is unaffected by soil chemicals and by the chemicals and gases present in sewage, so ROTO septic tanks will not rust or corrode and require no additional coatings. ROTO septic tanks are equipped with manhole covers and detailed installation procedures. Manhole extensions and lid/riser combinations are available to bring tank access to grade and to meet code specifications. From 500 to 50.000 liters sizes are available in one, two or three compartment configurations. ROTO septic tanks are for BELOW GROUND USE. PRE-PLUMBING: ROTO septic tanks that are "pre-plumbed" with PVC inlet and outlet assemblies. WATERTIGHT DOMED LIDS: Septic tanks are equipped with a watertight domed lid. The lid is attached to the tank with screws and come standard with a gasket between the lid and the tank. ROTO septic tanks will arrive to you ready for installation.

***Additional Information***

<b>Product type</b> Septic tanks	<b>Product code</b> 7500063310	<b>Usage</b> outside	<b>voir instructions en 2 PDF</b>
----------------------------------	--------------------------------	----------------------	-----------------------------------




## Septic tank 5.000 L, 2-chambers RoSeptic

### *Details*

For septic system replacement and new home construction, ROTO's polyethylene septic tanks are designed for durability and quick, easy installation. All ROTO septic tanks are manufactured with rotational molding process, which produces a one-piece, seamless, watertight tank. Polyethylene is unaffected by soil chemicals and by the chemicals and gases present in sewage, so ROTO septic tanks will not rust or corrode and require no additional coatings. ROTO septic tanks are equipped with manhole covers and detailed installation procedures. Manhole extensions and lid/riser combinations are available to bring tank access to grade and to meet code specifications. From 500 to 50.000 liters sizes are available in one, two or three compartment configurations. ROTO septic tanks are for BELOW GROUND USE. PRE-PLUMBING: ROTO septic tanks that are "pre-plumbed" with PVC inlet and outlet assemblies. WATERTIGHT DOMED LIDS: Septic tanks are equipped with a watertight domed lid. The lid is attached to the tank with screws and come standard with a gasket between the lid and the tank. ROTO septic tanks will arrive to you ready for installation.

### *Additional Information*

<b>Product type</b> Septic tanks	<b>Product code</b> 7500062390	<b>Usage</b> outside	<b>voir instructions en 2 PDF</b>
----------------------------------	--------------------------------	----------------------	-----------------------------------




## Septic tank 6.000 L, 3-chambers RoSeptic

### *Details*

For septic system replacement and new home construction, ROTO's polyethylene septic tanks are designed for durability and quick, easy installation. All ROTO septic tanks are manufactured with rotational molding process, which produces a one-piece, seamless, watertight tank. Polyethylene is unaffected by soil chemicals and by the chemicals and gases present in sewage, so ROTO septic tanks will not rust or corrode and require no additional coatings. ROTO septic tanks are equipped with manhole covers and detailed installation procedures. Manhole extensions and lid/riser combinations are available to bring tank access to grade and to meet code specifications. From 500 to 50.000 liters sizes are available in one, two or three compartment configurations. ROTO septic tanks are for BELOW GROUND USE. PRE-PLUMBING: ROTO septic tanks that are "pre-plumbed" with PVC inlet and outlet assemblies. WATERTIGHT DOMED LIDS: Septic tanks are equipped with a watertight domed lid. The lid is attached to the tank with screws and come standard with a gasket between the lid and the tank. ROTO septic tanks will arrive to you ready for installation.

### *Additional Information*

Product type : Septic tanks	Product code :7500063620	Usage : outside	<b>voir instructions en 2 PDF</b>
-----------------------------	--------------------------	-----------------	-----------------------------------




## Septic tank 12.000 L, 3-chambers RoSeptic

### *Details*

For septic system replacement and new home construction, ROTO's polyethylene septic tanks are designed for durability and quick, easy installation. All ROTO septic tanks are manufactured with rotational molding process, which produces a one-piece, seamless, watertight tank. Polyethylene is unaffected by soil chemicals and by the chemicals and gases present in sewage, so ROTO septic tanks will not rust or corrode and require no additional coatings. ROTO septic tanks are equipped with manhole covers and detailed installation procedures. Manhole extensions and lid/riser combinations are available to bring tank access to grade and to meet code specifications. From 500 to 50.000 liters sizes are available in one, two or three compartment configurations. ROTO septic tanks are for BELOW GROUND USE. PRE-PLUMBING: ROTO septic tanks that are "pre-plumbed" with PVC inlet and outlet assemblies. WATERTIGHT DOMED LIDS: Septic tanks are equipped with a watertight domed lid. The lid is attached to the tank with screws and come standard with a gasket between the lid and the tank. ROTO septic tanks will arrive to you ready for installation.

### *Additional Information*

<b>Product type</b> : Septic tanks	<b>Product code</b> : 7500062530	<b>Usage</b> : outsid	Voir Instructions en 2 PDF
------------------------------------	----------------------------------	-----------------------	----------------------------




## Septic tank 12.000 L, 2-chambers RoSeptic

### *Details*

For septic system replacement and new home construction, ROTO's polyethylene septic tanks are designed for durability and quick, easy installation. All ROTO septic tanks are manufactured with rotational molding process, which produces a one-piece, seamless, watertight tank. Polyethylene is unaffected by soil chemicals and by the chemicals and gases present in sewage, so ROTO septic tanks will not rust or corrode and require no additional coatings. ROTO septic tanks are equipped with manhole covers and detailed installation procedures. Manhole extensions and lid/riser combinations are available to bring tank access to grade and to meet code specifications. From 500 to 50.000 liters sizes are available in one, two or three compartment configurations. ROTO septic tanks are for BELOW GROUND USE. PRE-PLUMBING: ROTO septic tanks that are "pre-plumbed" with PVC inlet and outlet assemblies. WATERTIGHT DOMED LIDS: Septic tanks are equipped with a watertight domed lid. The lid is attached to the tank with screws and come standard with a gasket between the lid and the tank. ROTO septic tanks will arrive to you ready for installation.

### **Additional Information**

<b>Product type :</b> Septic tanks	<b>Product code :</b> 7500062510	<b>Usage :</b> outsid	Voir Instructions en 2 PDF
------------------------------------	----------------------------------	-----------------------	----------------------------




## Septic tank 20.000 L, 2-chambers RoSeptic

### *Details*

For septic system replacement and new home construction, ROTO's polyethylene septic tanks are designed for durability and quick, easy installation. All ROTO septic tanks are manufactured with rotational molding process, which produces a one-piece, seamless, watertight tank. Polyethylene is unaffected by soil chemicals and by the chemicals and gases present in sewage, so ROTO septic tanks will not rust or corrode and require no additional coatings. ROTO septic tanks are equipped with manhole covers and detailed installation procedures. Manhole extensions and lid/riser combinations are available to bring tank access to grade and to meet code specifications. From 500 to 50.000 liters sizes are available in one, two or three compartment configurations. ROTO septic tanks are for BELOW GROUND USE. PRE-PLUMBING: ROTO septic tanks that are "pre-plumbed" with PVC inlet and outlet assemblies. WATERTIGHT DOMED LIDS: Septic tanks are equipped with a watertight domed lid. The lid is attached to the tank with screws and come standard with a gasket between the lid and the tank. ROTO septic tanks will arrive to you ready for installation.

### *Additional Information*

<b>Product type</b> : Septic tanks	<b>Product code</b> : 7500062590	<b>Usage</b> : outsid	Voir Instructions en 2 PDF
------------------------------------	----------------------------------	-----------------------	----------------------------



## Septic tank 20.000 L, 3-chambers RoSeptic

### *Details*

For septic system replacement and new home construction, ROTO's polyethylene septic tanks are designed for durability and quick, easy installation. All ROTO septic tanks are manufactured with rotational molding process, which produces a one-piece, seamless, watertight tank. Polyethylene is unaffected by soil chemicals and by the chemicals and gases present in sewage, so ROTO septic tanks will not rust or corrode and require no additional coatings. ROTO septic tanks are equipped with manhole covers and detailed installation procedures. Manhole extensions and lid/riser combinations are available to bring tank access to grade and to meet code specifications. From 500 to 50.000 liters sizes are available in one, two or three compartment configurations. ROTO septic tanks are for BELOW GROUND USE. PRE-PLUMBING: ROTO septic tanks that are "pre-plumbed" with PVC inlet and outlet assemblies. WATERTIGHT DOMED LIDS: Septic tanks are equipped with a watertight domed lid. The lid is attached to the tank with screws and come standard with a gasket between the lid and the tank. ROTO septic tanks will arrive to you ready for installation.

### *Additional Information*

<b>Product type</b> : Septic tanks	<b>Product code</b> : 7500062690	<b>Usage</b> : outsid	Voir Instructions en 2 PDF
------------------------------------	----------------------------------	-----------------------	----------------------------